

TRANSMITTAL LETTER TO THE UNITED STATES

DESIGNATED/ELECTED OFFICE (DO/EO/US)

CONCERNING A FILING UNDER 35 U.S.C. 371

MTS-3263US

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

To Be Assigned

09/869420

INTERNATIONAL APPLICATION NO.

PCT/JP00/07448

INTERNATIONAL FILING DATE

25 October 2000 (25.10.00)

PRIORITY DATE CLAIMED

27 October 1999 (27.10.99)

TITLE OF INVENTION

DATA RECORDING/REPRODUCING APPARATUS AND PROGRAM RECORDING MEDIUM

APPLICANT(S) FOR DO/EO/US

Yasushi Ayaki

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☐ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
 - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ has been transmitted by the International Bureau.
 - c. ☒ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☒ A copy of the International Search Report (PCT/ISA/210).
8. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
 - a. ☒ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☐ have not been made and will not be made.
9. ☒ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
10. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
11. ☐ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).

Items 13 to 20 below concern document(s) or information included:

13. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☒ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☒ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☒ Certificate of Mailing by Express Mail
20. ☒ Other items or information:

English Translation of International Search Report dated January 23, 2001

08/869420

PCT/JP00/07448

MTS-3263US

21. The following fees are submitted:

BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :

- ☐ Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$970.00
- ☒ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$860
- ☐ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$690.00
- ☐ International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$670.00
- ☐ International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) \$96.00

ENTER APPROPRIATE BASIC FEE AMOUNT =

\$860.00

Surcharge of \$130.00 for furnishing the oath or declaration later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).

\$0.00

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE
Total claims	16 - 20 =	0	x \$18.00
Independent claims	1 - 3 =	0	x \$80.00

\$0.00

Multiple Dependent Claims (check if applicable).

☒

\$270.00

TOTAL OF ABOVE CALCULATIONS =

\$1,130.00

Reduction of 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 CFR 1.9, 1.27, 1.28) (check if applicable).

☐

\$0.00

SUBTOTAL =

\$1,130.00

Processing fee of \$130.00 for furnishing the English translation later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).

+

\$0.00

TOTAL NATIONAL FEE =

\$1,130.00

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable).

☒

\$40.00

TOTAL FEES ENCLOSED =

\$1,170.00

Amount to be:

refunded

\$

charged

\$

☒ A check in the amount of \$1,170.00 to cover the above fees is enclosed.

☐ Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees.
A duplicate copy of this sheet is enclosed.

☒ The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. **18-0350** A duplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Allan Ratner
Ratner & Prestia
P.O. Box 980
Valley Forge, PA 19482
Tel: (610) 407-0700

SIGNATURE

Allan Ratner

NAME

19,717

REGISTRATION NUMBER

June 27, 2001

DATE

09/869420

MTS-3263US

PATENT
JC03 Rec'd PCT/TTC 27 JUN 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Y. Ayaki : Art Unit:
Serial No.: To Be Assigned : Examiner:
Filed: Herewith :
FOR: DATA RECORDING/REPRODUCING :
APPARATUS AND PROGRAM
RECORDING MEDIUM

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

S I R :

Prior to examination, please amend the above application as follows:

IN THE SPECIFICATION:

Please insert the following paragraph at page 1, line 1:

THIS APPLICATION IS A U.S. NATIONAL PHASE APPLICATION OF
PCT INTERNATIONAL APPLICATION PCT/JP00/07448.

Please replace the paragraph beginning at page 9, line 6:

One aspect of the present invention is a data recording/reproducing
apparatus, comprising:

Please replace the paragraph beginning at page 10, line 4:

Another aspect of the present invention is a data recording/reproducing
apparatus in accordance with said first invention, characterized in that when not
executing writing of said new data, said file management means notifies to outside
that writing of said new data is not executed, and accepts an instruction in
response to the notification from outside.

Please replace the paragraph beginning at page 10, line 11:

Still another aspect of the present invention is a data recording/reproducing apparatus in accordance with said first invention, characterized in comprising deletion file selecting criteria information setting means which is for a user to set up said deletion file selecting criteria information for each one of said recording areas.

Please replace the paragraph beginning at page 10, line 18:

Yet another aspect of the present invention (corresponding to claim 4) is a data recording/reproducing apparatus in accordance with said first invention, characterized in that said files are grouped in accordance with a predetermined criteria, said file management means, when deleting a portion or all of at least one file which is recorded in said predetermined recording area, deletes the file which is to be deleted as well as other files which belong to the same group as the file which is to be deleted.

Please replace the paragraph beginning at page 11, line 2:

Still yet another aspect of the present invention is a data recording/reproducing apparatus in accordance with any one of said first through fourth inventions, characterized in that a classification of said data which are to be written is different for each one of said recording areas, and said data recording/reproducing apparatus comprises data classification information setting means which is for a user to set up, for each one of said recording areas, data classification information which is for setting up a classification of data which are to be written.

Please replace the paragraph beginning at page 11, line 13:

A further aspect of the present invention is a medium which is characterized in that it can be handled with a computer and characterized in carrying a program and/or data which is for executing with a computer all or some functions of all or some means of a data recording/reproducing apparatus in accordance with any one of said first through fifth claims.

Please replace the paragraph beginning at page 26, line 22:

The file management means 60 holds the deletion file selecting criteria

information as that shown in Fig. 2 which is for selecting a file which is to be deleted as new data are written, for each one of the recording areas AID1, AID2 and AID3. The file management means 60 recognizes that the file FID8 which bears the number of viewing of 1 or larger and the earliest recording time is a delete candidate, judges that it is necessary to delete the file FID8 in order to write the data newly supplied as the signal from the digital AV equipment 80 in the recording area AID1.

Please replace the paragraph beginning at page 32, line 8:

As a user designates the file FID5 as a delete candidate based on the displayed information, the manipulation portion of the display/manipulation means 70 provides the file management means 60 with an instruction designating the file FID9 as a delete candidate, in the form of a signal.

Please replace the paragraph beginning at page 35, line 6:

Deletion file selecting criteria information setting means 161 is means which is for a user to set up deletion file selecting criteria information which is for selecting a delete candidate in each recording area which is set up by the recording area setting means 150.

Please replace the paragraph beginning at page 35, line 11:

Data classification information setting means 162 is means which is for a user to set up a classification of data which are to be written for each recording area which is set up by the recording area setting means 150.

Please replace the paragraph beginning at page 37, line 20:

In short, the deletion file selecting criteria information setting means 161 notifies the file management means 160 of such setup which causes en-masse deletion, in the recording area AID1, of files which belongs to the same group as a file whose recording time is earliest. Further, the deletion file selecting criteria information setting means 161 notifies the file management means 160 of such setup which causes en-masse deletion, in the recording area AID2, of files which belongs to the same group as a file which bears the largest number of viewing.

Please replace the paragraph beginning at page 41, line 13:

Next, a description will be given on operations of the data recording/reproducing apparatus according to the second preferred embodiment as the digital AV equipment 80 receives new data as a signal. The new data referred to here are video data to be saved in the recording area AID2 as a file FID1001 whose size is 5 GB.

Please replace the paragraph beginning at page 42, line 19:

The file management means 160 determines to delete the files FID6 and FID7 and ensure a free area of 6 GB in total so that the data received as the signal through the digital AV equipment 80 will be written in the recording area AID2 as the file FID1001. The file management means 160 demands the system controller 20 to execute this.

IN THE DRAWINGS:

Please delete pages "16/21" and "17/21" of the drawings in its entirety and replace with the amended drawings attached herewith.

IN THE CLAIMS:

Please replace claims 6 and 7 with the following amended claims:

- 1 6. (As Amended) A medium which is characterized in that it can be
- 2 handled with a computer and characterized in carrying a program which is for
- 3 executing, with a computer, functions of a data recording/reproducing apparatus in
- 4 accordance with any one of Claim 1 through Claim 4.

1 7. (As Amended) A program which is characterized in that it is a program
2 for executing, with a computer, functions of a data recording/reproducing
3 apparatus in accordance with any one of Claim 1 through Claim 4.

Respectfully submitted,


Allan Ratner, Reg. No. 19,717
Attorney for Applicant

AR/lm

Enclosure: Version With Markings Showing Changes Made

Dated: June 27, 2001

Suite 301, One Westlakes, Berwyn

P.O. Box 980

Valley Forge, PA 19482-0980


(610) 407-0700

The Assistant Commissioner for Patents is
hereby authorized to charge payment to Deposit
Account No. 18-0350 of any fees associated
with this communication.

EXPRESS MAIL Mailing Label Number: EL741593228US

Date of Deposit: June 27, 2001

I hereby certify that this paper and fee are being deposited, under 37 C.F.R. § 1.10 and with sufficient
postage, using the "Express Mail Post Office to Addressee" service of the United States Postal Service on the
date indicated above and that the deposit is addressed to the Assistant Commissioner for Patents, Washington,
D.C. 20231.


Kathleen Libby

VERSION WITH MARKINGS SHOWING CHANGES MADESPECIFICATION:

Specification at page 1, line 1:

THIS APPLICATION IS A U.S. NATIONAL PHASE APPLICATION OF
PCT INTERNATIONAL APPLICATION PCT/JP00/07448.

Specification at page 9, line 6:

~~The first invention~~ One aspect of the present invention (~~corresponding to claim 1~~) is a data recording/reproducing apparatus, comprising:

Specification at page 10, line 4:

~~The second invention~~ Another aspect of the present invention (~~corresponding to claim 2~~) is a data recording/reproducing apparatus in accordance with said first invention, characterized in that when not executing writing of said new data, said file management means notifies to outside that writing of said new data is not executed, and accepts an instruction in response to the notification from outside.

Specification at page 10, line 11:

~~The third invention~~ Still another aspect of the present invention (~~corresponding to claim 3~~) is a data recording/reproducing apparatus in accordance with said first invention, characterized in comprising deletion file selecting criteria information setting means which is for a user to set up said deletion file selecting criteria information for each one of said recording areas.

Specification at page 10, line 18:

~~The fourth invention~~ Yet another aspect of the present invention (~~corresponding to claim 4~~) is a data recording/reproducing apparatus in accordance with said first invention, characterized in that said files are grouped in accordance with a predetermined criteria, said file management means, when deleting a portion or all of at least one file which is recorded in said predetermined recording area, deletes the file which is to be deleted as well as other files which belong to

the same group as the file which is to be deleted.

Specification at page 11, line 2:

~~The fifth invention~~ Still yet another aspect of the present invention ~~(corresponding to claim 5)~~ is a data recording/reproducing apparatus in accordance with any one of said first through fourth inventions, characterized in that a classification of said data which are to be written is different for each one of said recording areas, and said data recording/reproducing apparatus comprises data classification information setting means which is for a user to set up, for each one of said recording areas, data classification information which is for setting up a classification of data which are to be written.

Specification at page 11, line 13:

~~The sixth invention~~ A further aspect of the present invention ~~(corresponding to claim 6)~~ is a medium which is characterized in that it can be handled with a computer and characterized in carrying a program and/or data which is for executing with a computer all or some functions of all or some means of a data recording/reproducing apparatus in accordance with any one of said first through fifth claims.

Specification at page 26, line 22:

The file management means 60 holds the deletion file selecting criteria information as that shown in Fig. 2 which is for selecting a file which is to be deleted as new data are written, for each one of the recording areas AID1, AID2 and AID3. The file management means 60 recognizes that the file ~~FID2~~ FID8 which bears the number of viewing of 1 or larger and the earliest recording time is a delete candidate, judges that it is necessary to delete the file FID8 in order to write the data newly supplied as the signal from the digital AV equipment 80 in the recording area AID1.

Specification at page 32, line 8:

As a user designates the file ~~FID9~~ FID5 as a delete candidate based on the displayed information, the manipulation portion of the display/manipulation means 70 provides the file management means 60 with an instruction designating

the file FID9 as a delete candidate, in the form of a signal.

Specification at page 35, line 6:

Deletion file selecting criteria information setting means 161 is means which is for a user to set up deletion file selecting criteria information which is for selecting a delete candidate in each recording area which is set up by the recording area setting means 150.

Specification at page 35, line 11:

Data classification information setting means 162 is means which is for a user to set up a classification of data which are to be written for each recording area which is set up by the recording area setting means 150.

Specification at page 37, line 20:

In short, the deletion file selecting criteria information setting means 161 notifies the file management means 160 of such setup which causes en-masse deletion, in the recording area AID1, of files which belongs to the same group as a file whose recording time is earliest. Further, the deletion file selecting criteria information setting means 161 notifies the file management means 160 of such setup which causes en-masse deletion, in the recording area AID2, of files which belongs to the same group as a file which bears the largest number of viewing.

Specification at page 41, line 13:

Next, a description will be given on operations of the data recording/reproducing apparatus according to the second preferred embodiment as the digital AV equipment 80 receives new data as a signal. The new data referred to here are video data to be saved in the recording area ~~AID1~~AID2 as a file FID1001 whose size is 5 GB.

Specification at page 42, line 19:

The file management means 160 determines to delete the files FID6 and FID7 and ensure a free area of 6 ~~MB~~GB in total so that the data received as the signal through the digital AV equipment 80 will be written in the recording area AID2 as the file FID1001. The file management means 160 demands the system

controller 20 to execute this.

CLAIMS:

1 6. (As Amended) A medium which is characterized in that it can be
2 handled with a computer and characterized in carrying a program which is for
3 executing, with a computer, functions of a data recording/reproducing apparatus in
4 accordance with any one of Claim 1 through Claim ~~5~~4.

1 7. (As Amended) A program which is characterized in that it is a program
2 for executing, with a computer, functions of a data recording/reproducing
3 apparatus in accordance with any one of Claim 1 through Claim ~~5~~4.

Fig. 16

FREE AREA MANAGEMENT INFORMATION

RECORDING AREA	RECORDING CAPACITY	RECORDED CAPACITY	FREE CAPACITY
AID1	20GB	20GB	0GB
AID2	80GB	78GB	2GB

RECORDING FILE MANAGEMENT INFORMATION

RECORDING AREA = AID 1 (AUDIO DATA)					
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING	GROUP
FID4	L4	2000/03/20 07:00	2MB	0	GID2
FID5	L5	2000/03/20 07:02	3MB	3	GID2
----	----	----	----	----	----
FID999	L999	2003/11/06 12:00	6MB	0	GID99
FID1000	L1000	2003/11/06 13:00	13MB	0	GID99

→ 2

RECORDING AREA = AID X (VIDEO DATA)					
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING	GROUP
FID6	L6	2000/03/20 07:00	2GB	2	GID3
FID7	L7	2000/03/27 07:00	2GB	2	GID3
----	----	----	----	----	----
FID998	L998	2003/10/06 12:00	6GB	1	GID100

DELETE CANDIDATE

Fig. 17

FREE AREA MANAGEMENT INFORMATION

RECORDING AREA	RECORDING CAPACITY	RECORDED CAPACITY	FREE CAPACITY
AID1	20GB	20GB	0GB
AID2	80GB	79GB	1GB

RECORDING FILE MANAGEMENT INFORMATION

RECORDING AREA = AID 1 (AUDIO DATA)					
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING	GROUP
FID4	L4	2000/03/20 07:00	2MB	0	GID2
FID5	L5	2000/03/20 07:02	3MB	3	GID2
----	----	----	----	----	----
FID999	L999	2003/11/06 12:00	6MB	0	GID99
FID1000	L1000	2003/11/06 13:00	13MB	0	GID99

→ 2

RECORDING AREA = AIDX (VIDEO DATA)					
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING	GROUP
----	----	----	----	----	----
FID998	L998	2003/10/06 12:00	6GB	1	GID100
FID1001	L1001	2003/11/06 14:00	5MB	0	GID4

21/PR5

09/869420

JC03 Rec'd PCT/PTC 27 JUN 2001

SPECIFICATION

Data Recording/Reproducing Apparatus and Program Recording

Medium

Technical Field of the Invention

The present invention relates to a data recording/reproducing apparatus.

Background Art

First, a structure of a data recording/reproducing apparatus according to a conventional technique will be described with reference to Fig. 19. Fig. 19 is a structure diagram of a data recording/reproducing apparatus according to a conventional technique.

An interface circuit 10 is a portion which supplies digital AV signals, instructions and responses to and receives the digital AV signals, the instructions and the responses from digital AV equipment 80.

A system controller 20 is a device which presides over and controls each means which forms the data recording/reproducing apparatus, controlling so that a digital AV signal which is supplied through the interface circuit 10 or an encoder circuit 40 is recorded on a disk 31 and such that the digital AV signal recorded on the disk

31 is outputted through the interface circuit 10 or a decoder circuit 41. Meanwhile, the system controller 20 controls such that the digital AV signal which is recorded on the disk 31 is saved and deleted in the unit of files.

A buffer control circuit 21 is a circuit which outputs the digital AV signal, which is supplied through the interface circuit 10 or the encoder circuit 40, to recording/reproducing means 30 after temporarily storing the digital AV signal in a buffer RAM 22, and outputs the digital AV signal to the interface circuit 10 or the decoder circuit 41 after temporarily storing the digital AV signal supplied from the recording/reproducing means 30 in the buffer RAM 22, to thereby ensure continuous recording or continuous reproduction of the AV signal.

The buffer RAM 22 is a device which has a function as a register to read out temporarily saved data in accordance with a necessity.

The recording/reproducing means 30 is means of recording the digital AV signal received from the buffer control circuit 21 on the disk 31, and reproducing the digital AV signal recorded on the disk 31 and outputting to the buffer control circuit 21.

The encoder circuit 40 is a circuit which encodes an inputted analog AV signal. The decoder circuit 41 is a circuit which decodes the digital AV signal outputted by

the recording/reproducing means 30 and supplies the analog AV signal to a reproducing apparatus (not shown) to thereby reproduce images and sounds.

File management means 260 is means of referring to and updating free area management information, recording file management information, deletion file selecting criteria information and the like to thereby manage reproduction, saving, deletion, etc., of files, issuing an instruction to the system controller 20 so that an entered digital AV signal is recorded on the disk 31 in the unit of files and the digital AV signal recorded on the disk 31 is reproduced in the unit of files. Further, the file management means 260 issues an instruction to the system controller 20 so that the digital AV signal recorded on the disk 31 is deleted in the unit of files. The free area management information, the recording file management information, and the deletion file selecting criteria information will be described later.

Deletion file selecting criteria information setting means 261 is means which is for a user to set up the deletion file selecting criteria information which is for selecting a file which is to be deleted as new data are written (hereinafter referred to as "delete candidate"). A deletion file selecting criteria herein described in relation to the conventional technique is the number of

viewing and the recording time.

The digital AV equipment 80 is equipment which supplies the digital AV signal, an instruction and a response to and receives the digital AV signal, the command and the response from the interface circuit 10 of the data recording/reproducing apparatus.

Operations of the data recording/reproducing apparatus according to the conventional technique having such a structure will be described with reference to Fig. 19.

In response to a user's instruction, the deletion file selecting criteria information setting means 261 provides the file management means 260 with the deletion file selecting criteria information which is for selecting a file which is to be deleted as new data are written. As herein described, the deletion file selecting criteria information setting means 261 notifies the file management means 260 of such setup which requires to first delete a file which bears the number of viewing of 1 or more and the earliest recording start time.

Next, a description will be given on an operation of the data recording/reproducing apparatus according to the conventional technique as the digital AV equipment 80 receives data as a signal. The data referred to here are data to be saved on the disk 31 as a file FID1 whose size

is 4 GB.

The digital AV equipment 80 outputs to the data recording/reproducing apparatus this data to be recorded and the volume of this data to be recorded, as a signal. The system controller 20 analyzes the signal which is supplied through the digital AV equipment 80, and notifies the file management means 260 that this data are data which are to be saved as a 4 GB file.

The file management means 260 determines to save the data supplied through the digital AV equipment 80 as a signal on the disk 31 as the file FID1, and instructs the system controller 20 to execute this.

Receiving the instruction which was outputted as a signal from the file management means 260, the system controller 20 writes the data supplied through the digital AV equipment 80 on the disk 31 as the file FID1, and notifies the file management means 260 of this.

The data recording/reproducing apparatus according to the conventional technique writes data in a manner described above. An operation for writing is similar to the writing operation already described earlier, when a free capacity in the disk 31 is larger than the size of data which are to be newly written.

The data recording/reproducing apparatus according to the conventional technique keeps writing data on the

disk 31 which is loaded in the recording/reproducing means 30 in this manner, so that the files FID1, FID2, FID3, ... FID999 are saved on the disk 31. The recording/reproducing means 30 in some cases outputs data saved as a file on the disk 31 through the decoder circuit 41, in response to an instruction from a user (so that the user views the data saved as a file on the disk 31). Further, as described in detail later, the number of outputting is described as the number of viewing in the recording file management information.

The file management means 260 holds the free area management information and the recording file management information. The free area management information contains a recording capacity, a recorded capacity and a free capacity, whereas the recording file management information contains recording area information, the recording start time, a file size and the number of viewing, both of which are as shown in Fig. 20. Fig. 20 shows charts of the free area management information and the recording file management information updated according to the conventional technique.

Next, a description will be given on operations of the data recording/reproducing apparatus according to the conventional technique as the digital AV equipment 80 receives new data as a signal. The new data are data to

be saved on the disk 31 as a file FID1000 whose size is 5 GB.

The digital AV equipment 80 outputs to the data recording/reproducing apparatus this new data which are to be recorded and the volume of this data to be recorded, as a signal. The system controller 20 analyzes the signal supplied from the digital AV equipment 80, and notifies the file management means 260 that this data are data which are to be saved as a 5 GB file.

The file management means 260 refers to the free area management information which is shown in Fig. 20, and recognizes that a free capacity in the disk 31 is 2GB which is smaller than the size of the file (5 GB) which is to be newly saved.

The file management means 260 recognizes that the file FID1 which bears the number of viewing of 1 or larger and the oldest recording time is a delete candidate, determines to delete the file FID1 and ensure a free area of 6 GB in total so that the data received as the signal through the digital AV equipment 80 will be written on the disk 31 as the file FID1000, and issues an instruction to delete FID1 to the system controller 20.

Receiving the instruction outputted as the signal from the file management means 260, the system controller 20 deletes FID1 and writes the data newly supplied through

the digital AV equipment 80 on the disk 31 as the file FID1000. The system controller 20 notifies the file management means 260 of this.

Upon receipt of the notification from the system controller 20, the file management means 260 updates the free area management information and the recording file management information which are shown in Fig. 20 respectively into such free area management information and recording file management information as those shown in Fig. 21. Fig. 21 shows charts of the free area management information and the recording file management information updated in the conventional technique.

By the way, the recent years have seen development of a disk device mounting an HDD (Hard Disk Drive). Recording capacities and data transfer speeds of data recording/reproducing apparatuses are accordingly rapidly improving. This has led to easy realization of recording and reproduction of a plurality types of data, such as video data, audio data and still image data, using only one data recording/reproducing apparatus.

However, since management in a disk according to conventional techniques is effective in only one recording area, it has been heretofore impossible to manage files by data type.

Disclosure of the Invention

Considering such problems, the present invention aims at providing a data recording/reproducing apparatus which is characterized in performing management, such as saving and deletion of files, appropriately by data type.

The first invention of the present invention (corresponding to claim1) is a data recording/reproducing apparatus, comprising:

recording area setting means of setting a plurality of logical recording areas in a recording medium which is for recording and reproducing data; and

file management means which refers to free area management information, which is for managing a free area capacity for each one of said recording areas, recording file management information, which is for managing a file to be recorded for each one of said recording areas, and deletion file selecting criteria information, which is for selecting a file to be deleted for each one of said recording areas, and executes management of said files,

being characterized in that for writing of new data in a predetermined recording area, when said file management means judges that a free area for writing said new data is insufficient with reference to said free area management information, said file management means, referring to said deletion file selecting criteria information, deletes a

portion or all of at least one file which is recorded in said predetermined recording area or does not execute an operation for writing said new data.

The second invention of the present invention (corresponding to claim 2) is a data recording/reproducing apparatus in accordance with said first invention, characterized in that when not executing writing of said new data, said file management means notifies to outside that writing of said new data is not executed, and accepts an instruction in response to the notification from outside.

The third invention of the present invention (corresponding to claim 3) is a data recording/reproducing apparatus in accordance with said first invention, characterized in comprising deletion file selecting criteria information setting means which is for a user to set up said deletion file selecting criteria information for each one of said recording areas.

The fourth invention of the present invention (corresponding to claim 4) is a data recording/reproducing apparatus in accordance with said first invention, characterized in that said files are grouped in accordance with a predetermined criteria, said file management means, when deleting a portion or all of at least one file which is recorded in said predetermined recording area, deletes the file which is to be deleted as well as other files which

belong to the same group as the file which is to be deleted.

The fifth invention of the present invention (corresponding to claim 5) is a data recording/reproducing apparatus in accordance with any one of said first through fourth inventions, characterized in that a classification of said data which are to be written is different for each one of said recording areas, and said data recording/reproducing apparatus comprises data classification information setting means which is for a user to set up, for each one of said recording areas, data classification information which is for setting up a classification of data which are to be written.

The sixth invention of the present invention (corresponding to claim 6) is a medium which is characterized in that it can be handled with a computer and characterized in carrying a program and/or data which is for executing with a computer all or some functions of all or some means of a data recording/reproducing apparatus in accordance with any one of said first through fifth claims.

Brief Description of the Drawings

Fig. 1 is a structure diagram of a data recording/reproducing apparatus described in relation to a first preferred embodiment of the present invention;

Fig. 2 shows charts of data classification information

and deletion file selecting criteria information described in relation to the first preferred embodiment of the present invention;

Fig. 3 shows a chart of free area management information described in relation to the first preferred embodiment of the present invention;

Fig. 4 shows charts of free area management information and recording file management information described in relation to the first preferred embodiment of the present invention;

Fig. 5 shows a chart and a diagram showing free area management information described in relation to the first preferred embodiment of the present invention;

Fig. 6 shows charts of recording file management information described in relation to the first preferred embodiment of the present invention;

Fig. 7 shows a chart of free area management information described in relation to the first preferred embodiment of the present invention;

Fig. 8 shows charts of recording file management information described in relation to the first preferred embodiment of the present invention;

Fig. 9 shows a chart of free area management information described in relation to the first preferred embodiment of the present invention;

Fig. 10 shows charts of recording file management information described in relation to the first preferred embodiment of the present invention;

Fig. 11 shows a chart of free area management information described in relation to the first preferred embodiment of the present invention;

Fig. 12 shows charts of recording file management information described in relation to the first preferred embodiment of the present invention;

Fig. 13 is a diagram of a data recording/reproducing apparatus described in relation to a second preferred embodiment of the present invention;

Fig. 14 shows charts of data classification information and deletion file selecting criteria information described in relation to the second preferred embodiment of the present invention;

Fig. 15 shows charts of free area management information and recording file management information described in relation to the second preferred embodiment of the present invention;

Fig. 16 shows charts of free area management information and recording file management information described in relation to the second preferred embodiment of the present invention;

Fig. 17 shows charts of free area management

information and recording file management information described in relation to the second preferred embodiment of the present invention;

Fig. 18 is a diagram of a data recording/reproducing apparatus and peripheral equipment described in relation to the preferred embodiments of the present invention;

Fig. 19 is a diagram of a data recording/reproducing apparatus according to a conventional technique;

Fig. 20 shows charts of free area management information and recording file management information according to the conventional technique; and

Fig. 21 shows charts of free area management information and recording file management information according to the conventional technique.

Explanation of the Reference Symbols

- 10 interface circuit
- 20 system controller
- 21 buffer control circuit
- 22 buffer RAM
- 30 recording/reproducing means
- 31 disk
- 40 encoder circuit
- 41 decoder circuit
- 50 recording area setting means

60 file management means

61 deletion file selecting criteria information setting means

62 data classification information setting means

70 display/manipulation means

80 digital AV equipment

160 file management means

161 deletion file selecting criteria information setting means

162 data classification information setting means

170 display/manipulation means

180 PC

181 STB

260 file management means

261 deletion file selecting criteria information setting means

Best Mode for Implementing the Invention

In the following, preferred embodiments of the present invention will be described.

(First Preferred Embodiment)

First, a structure of a data recording/reproducing apparatus according to a first preferred embodiment will be described with reference to Fig. 1. Fig. 1 is a structure diagram of the data recording/reproducing apparatus

according to the first preferred embodiment.

An interface circuit 10 comprises an input terminal for receiving a digital AV signal (not shown), serving as a portion which supplies digital AV signals, instructions and responses to and receives the digital AV signals, the instructions and the responses from digital AV equipment 80. In the first preferred embodiment, the digital AV equipment 80 and the interface circuit 10 are connected with an IEEE1394 bus.

A system controller 20 is a device which presides over and controls each means which forms the data recording/reproducing apparatus, controlling so that a digital AV signal which is supplied through the interface circuit 10 or an encoder circuit 40 is recorded on a disk 31 and such that the digital AV signal recorded on the disk 31 is outputted through the interface circuit 10 or a decoder circuit 41. Meanwhile, the system controller 20 controls such that the digital AV signal which is recorded on the disk 31 is saved and deleted in the unit of files.

A buffer control circuit 21 is a circuit which outputs the digital AV signal, which is supplied through the interface circuit 10 or the encoder circuit 40, to recording/reproducing means 30 after temporarily storing the digital AV signal in a buffer RAM 22, and outputs the digital AV signal to the interface circuit 10 or the decoder

circuit 41 after temporarily storing the digital AV signal supplied from the recording/reproducing means 30 in the buffer RAM 22, to thereby ensure continuous recording or continuous reproduction of the AV signal.

The buffer RAM 22 is a device which has a function as a register to read out temporarily saved data in accordance with a necessity.

The recording/reproducing means 30 is means of recording the digital AV signal received from the buffer control circuit 21 on the disk 31, and reproducing the digital AV signal recorded on the disk 31 and outputting to the buffer control circuit 21.

The encoder circuit 40 is a circuit which comprises an input terminal for receiving a digital AV signal (not shown) and encodes an inputted analog AV signal.

The decoder circuit 41 is a circuit which decodes the digital AV signal outputted by the recording/reproducing means 30 and supplies the analog AV signal to a reproducing apparatus (not shown) to thereby reproduce images and sounds.

Recording area setting means 50 is means which sets up a plurality of logical recording areas on the disk 31 whose capacity is 100 GB.

File management means 60 is means of referring to and updating free area management information, recording file

management information, deletion file selecting criteria information and the like to thereby manage reproduction, saving, deletion, etc., of files, issuing an instruction to the system controller 20 so that an entered digital AV signal is recorded on the disk 31 in the unit of files and the digital AV signal recorded on the disk 31 is reproduced in the unit of files. Further, the file management means 60 issues an instruction to the system controller 20 so that the digital AV signal recorded on the disk 31 is deleted in the unit of files. The free area management information, the recording file management information, and the deletion file selecting criteria information according to the first preferred embodiment will be described later.

Deletion file selecting criteria information setting means 61 is means which is for a user to set up deletion file selecting criteria information which is for selecting a file which is to be deleted as new data are written (hereinafter referred to as a "delete candidate") for each recording area which is set up by the recording area setting means 50.

Data classification information setting means 62 is means which is for a user to set up data classification information which is for setting up a classification of data which are to be written for each recording area which is set up by the recording area setting means 50.

Display/manipulation means 70 is means which comprises a displaying portion, which displays to outside that it is impossible to write new data when the file management means 60 determines that it is impossible to write the new data, and a manipulation portion which accepts manipulations from outside in response to such a display.

The digital AV equipment 80 is equipment which supplies the digital AV signal, an instruction and a response to and receives the digital AV signal, the instruction and the response from the interface circuit 10 of the data recording/reproducing apparatus.

Operations of the data recording/reproducing apparatus according to the first preferred embodiment having such a structure will be described with reference to Figs. 1 through 12. Fig. 2 shows charts of data classification information and deletion file selecting criteria information according to the first preferred embodiment, while Fig. 3 shows a chart of free area management information according to the first preferred embodiment.

In response to an instruction from a user, the recording area setting means 50 provides, through the file management means 60, the system controller 20 with an instruction for setting up three logical recording areas AID1, AID2 and AID3 on the disk 31.

Upon receipt of the instruction from the recording

area setting means 50, the system controller 20 sets up the three logical recording areas AID1, AID2 and AID3 on the disk 31. In the first preferred embodiment, recording capacities of the recording areas AID1, AID2 and AID3 are 80 GB, 10 GB and 10 GB, respectively. The system controller 20 notifies the file management means 60 that the three logical recording areas AID1, AID2 and AID3 are set up on the disk 31.

The file management means 60 holds free area management information as that shown in Fig. 3 which contains a recording capacity, a recorded capacity and the capacity of a free area (hereinafter referred to as a "free capacity").

In response to an instruction from a user, the data classification information setting means 62 provides the file management means 60 with data classification information which is for setting up a classification of data which are to be written for each one of the recording areas AID1, AID2 and AID3. In short, the data classification information setting means 62 notifies the file management means 60 of setup which allows writing of video data in the recording area AID1. Meanwhile, the data classification information setting means 62 notifies the file management means 60 of setup which allows writing of audio data in the recording area AID2. Further, the data classification information setting means 62 notifies the

file management means 60 of setup which allows writing of only still image data in the recording area AID3. The data classification information in the first preferred embodiment is as shown in Fig. 2.

In response to an instruction from a user, the deletion file selecting criteria information setting means 61 provides the file management means 60 with deletion file selecting criteria information which is for selecting a file which is to be deleted as new data are written, for each one of the recording areas AID1, AID2 and AID3. In other words, the deletion file selecting criteria information setting means 61 notifies the file management means 60 of setup which allows priority deletion, in the recording area AID1, of a file which bears the number of viewing of 1 or larger and the earliest recording start time. Meanwhile, the deletion file selecting criteria information setting means 61 notifies the file management means 60 of setup which allows priority deletion, in the recording area AID2, of a file which bears the earliest recording start time. Further, the deletion file selecting criteria information setting means 61 notifies the file management means 60 of setup which does not allow automatic deletion of a file by the file management means 60 at all in the recording area AID3. The deletion file selecting criteria information in the first preferred embodiment is

as shown in Fig. 2.

Next, a description will be given on operations of the data recording/reproducing apparatus according to the first preferred embodiment as the digital AV equipment 80 receives data as a signal. The data are still image data to be saved in the recording area AID3 as a file FID1 whose size is 1 MB.

The digital AV equipment 80 outputs to the data recording/reproducing apparatus this data which are to be recorded and the volume of this data to be recorded, as a signal.

The system controller 20 analyzes the signal supplied from the digital AV equipment 80, and notifies the file management means 60 that this data are data which are to be saved as a 1 MB file.

The file management means 60 holds the data classification information as that shown in Fig. 2 which is for setting up a classification of data which are to be written for each one of the recording areas AID1, AID2 and AID3. Hence, the file management means 60 determines that it is necessary to write the data received as the signal through the digital AV equipment 80 in the recording area AID3 which is set to be written with still image data.

In addition, the file management means 60 holds the deletion file selecting criteria information as that shown

in Fig. 3 which contains a recording capacity, a recorded capacity and a free capacity. Hence, the file management means 60 recognizes that the free capacity of the recording area AID3 is 10 GB which is larger than the size of the file (1 MB) which is to be saved.

The file management means 60 determines to save the data received as the signal through the digital AV equipment 80 as the file FID1 in the recording area AID3, and orders the system controller 20 to execute this.

Upon receipt of the instruction from the file management means 60, the system controller 20 writes the data supplied from the digital AV equipment 80 as the file FID1 in the recording area AID3, and notifies the file management means 60 of this.

Receiving the notification from the digital AV equipment 80 as a signal, the file management means 60 updates the free area management information shown in Fig. 3 into such free area management information as that shown in Fig. 4. Further, reflecting the new recording of the file FID1, the file management means 60 newly holds recording file management information which contains recording area information, the recording start time, a file size and the number of viewing regarding the file FID1 as those shown in Fig. 4. Fig. 4 shows charts of the free area management information and the recording file management information

which are updated in the first preferred embodiment.

The system controller 20 in some cases outputs data saves as a file on the disk 31, through the decoder circuit 41, in response to an instruction from a user. The number of outputting is described as the number of viewing in the recording file management information.

The data recording/reproducing apparatus according to the first preferred embodiment writes data in accordance with setup specified by the data classification information, in a manner described above. An operation for writing is similar to the writing operation already described earlier, when a free capacity in a predetermined recording area is larger than the size of data which are to be newly written.

The data recording/reproducing apparatus according to the first preferred embodiment in this manner keeps writing data on the disk 31 which is loaded in the recording/reproducing means 30, so that files FID5, FID8 and FID9 are saved in the recording area AID1. Meanwhile, files FID4, FID6, FID7, ..., FID998 are saved in the recording area AID2. In the recording area AID3, files FID1, FID2, FID3, ..., FID999 are saved.

As a result of this, the free area management information held by the file management means 60 is updated, whereby the file management means 60 holds such free area management information as that shown in Fig. 5 which contains

the recording capacities, recorded capacities and free capacities of the recording areas AID1, AID2 and AID3. Fig. 5 shows a chart and a diagram showing the free area management information which is updated in the first preferred embodiment. For instance, the recording capacity, the recorded capacity and the free capacity of the recording area AID1 are 80 GB, 60 GB and 20 GB, respectively.

In addition, the recording file management information held by the file management means 60 is updated, whereby the file management means 60 holds such recording file management information as that shown in Fig. 6 which contains recording area information, the recording start time, the file sizes and the number of viewing regarding these files. Fig. 6 shows charts of the recording file management information which is updated in the first preferred embodiment. For instance, the recording area information, the recording start time, the file size and the number of viewing regarding the file FID5 are L1, 2000/10/02/17:00 (that is, 17:00, the 2nd of October, the year 2000), 10 GB and zero, respectively.

Next, a description will be given on operations of the data recording/reproducing apparatus according to the first preferred embodiment as the digital AV equipment 80 receives new data further as a signal so that a free capacity becomes insufficient and a file needs be therefore deleted.

The new data referred to here are video data which are to be saved in the recording area AID1 as a file FID1000 whose size is 30 GB.

The digital AV equipment 80 outputs to the data recording/reproducing apparatus this new data which are to be recorded and the volume of this data to be recorded, as a signal.

The system controller 20 analyzes the signal supplied from the digital AV equipment 80, and notifies the file management means 60 that this new data are video data which are to be saved as a 30 GB file.

Referring to the data classification information as that shown in Fig. 2, the file management means 60 determines that it is necessary to record the video data signal from the digital AV equipment 80 in the recording area AID1 which is set as a video data recording area.

Further, referring to the free area management information as that shown in Fig. 5, the file management means 60 recognizes that the free capacity of the recording area AID1 is 20 GB which is smaller than the size of the file (30 GB) which is to be saved.

The file management means 60 holds the deletion file selecting criteria information as that shown in Fig. 2 which is for selecting a file which is to be deleted as new data are written, for each one of the recording areas AID1, AID2

and AID3. The file management means 60 recognizes that the file FID2 which bears the number of viewing of 1 or larger and the earliest recording time is a delete candidate, judges that it is necessary to delete the file FID8 in order to write the data newly supplied as the signal from the digital AV equipment 80 in the recording area AID1.

The file management means 60 determines to delete the file FID8 and ensure a free area of 40 GB in total so that the data received as the signal through the digital AV equipment 80 will be written in the recording area AID1 as the file FID1000. The file management means 60 then demands the system controller 20 to execute this.

Receiving the instruction outputted as a signal from the file management means 60, the system controller 20 deletes the file FID8 and writes the data received through the digital AV equipment 80 in the recording area AID1 as the file FID1000. The system controller 20 notifies the file management means 60 of this.

Upon receipt of the notification from the system controller 20, the file management means 60 updates the free area management information shown in Fig. 5 into such free area management information as that shown in Fig. 7. Fig. 7 shows a chart of the free area management information which is updated in the first preferred embodiment. As shown in Fig. 7, a free capacity in the recording area AID1

is 10 GB.

In addition, the file management means 60 updates the recording file management information shown in Fig. 6 into such recording file management information as that shown in Fig. 8. Fig. 8 shows charts of the recording file management information which is updated in the first preferred embodiment. The recording area information, the recording start time, the file size and the number of viewing regarding the file FID1000 are L1000, 2003/11/07/12:00, 30 GB and zero, respectively.

Next, a description will be given on operations of the data recording/reproducing apparatus according to the first preferred embodiment as new data are supplied from the digital AV equipment 80 further as a signal and a plurality of files are selected and deleted. The new data referred to here are audio data which are to be saved in the recording area AID2 as a file FID1001 whose size is 9 MB.

The digital AV equipment 80 outputs to the data recording/reproducing apparatus this new data which are to be recorded and the volume of this data to be recorded, as a signal.

The system controller 20 analyzes the signal supplied from the digital AV equipment 80, and notifies the file management means 60 that this new data are audio data which

are to be saved as a 9 MB file.

Referring to the data classification information as that shown in Fig. 2, the file management means 60 determines that it is necessary to record the audio data signal received from the digital AV equipment 80 in the recording area AID2 which is set as a audio data recording area.

Further, referring to the free area management information as that shown in Fig. 7, the file management means 60 recognizes that the free capacity in the recording area AID2 is 0 GB which is smaller than the size of the file (9 MB) which is to be saved.

The file management means 60 holds the deletion file selecting criteria information as that shown in Fig. 2. The file management means 60 recognizes that the file FID4 which bears the earliest recording start time is a delete candidate and the file FID6 which bears the second earliest recording start time is a second delete candidate. The file management means 60 judges that it is necessary to delete these in order to write the data newly supplied as the signal from the digital AV equipment 80 in the recording area AID2.

The file management means 60 determines to delete the files FID4 and FID6 and ensure a free area of 9 MB in total so that the data supplied as the signal from the digital AV equipment 80 will be written in the recording area AID2

as the file FID1001. The file management means 60 then demands the system controller 20 to execute this.

Receiving the instruction outputted as a signal from the file management means 60, the system controller 20 deletes the files FID4 and FID6 and writes the data supplied from the digital AV equipment 80 in the recording area AID2 as the file FID1001. The system controller 20 notifies the file management means 60 of this.

Upon receipt of the notification from the system controller 20, the file management means 60 updates the free area management information shown in Fig. 7 into such free area management information as that shown in Fig. 9. Fig. 9 shows a chart of the free area management information which is updated in the first preferred embodiment. As shown in Fig. 9, a free capacity in the recording area AID2 becomes 0 GB. In addition, the file management means 60 updates the recording file management information shown in Fig. 8 into such recording file management information shown as that shown in Fig. 10. Fig. 10 shows a chart of the recording file management information shown which is updated in the first preferred embodiment.

Next, a description will be given on operations of the data recording/reproducing apparatus according to the first preferred embodiment as new data are supplied from the digital AV equipment 80 further as a signal but the

file management means 60 is not allowed automatic deletion. The new data referred to here are video data which are to be saved in the recording area AID1 as a file FID1002 whose size is 30 GB.

The digital AV equipment 80 outputs to the data recording/reproducing apparatus this new data which are to be recorded and the volume of this data to be recorded, as a signal.

The system controller 20 analyzes the signal supplied from the digital AV equipment 80, and notifies the file management means 60 that this new data are video data which are to be saved as a 30 GB file.

The file management means 60 determines that it is necessary to record in the recording area AID1 which is set as a video data recording area, since the signal received from the digital AV equipment 80 represents video data. Further, referring to the free area management information which is shown also in Fig. 9, the file management means 60 recognizes that a free capacity in the recording area AID1 is 10 GB which is smaller than the size of the file (30 GB) which is to be newly saved.

The file management means 60 holds the deletion file selecting criteria information as that shown in Fig. 2. However, since the number of viewing of the files FID5, FID9 and FID1000 saved in the recording area AID1 is equally

zero, the file management means 60 can not recognize a file which bears the number of viewing of 1 or larger and the earliest recording start time as a delete candidate.

The file management means 60 causes the display/manipulation means 70 to display, in the displaying portion, that it is not possible to recognize a delete candidate.

As a user designates the file FID9 as a delete candidate based on the displayed information, the manipulation portion of the display/manipulation means 70 provides the file management means 60 with an instruction designating the file FID9 as a delete candidate, in the form of a signal.

The file management means 60 receives the instruction received through the display/manipulation means 70 which designates the file FID5 as a delete candidate.

However, the sum of the size of the file FID5 designated as a delete candidate and the free capacity (10 GB) of the recording area AID1 is 20 GB which is smaller than the size of the file (30 GB) which is to be newly saved.

Referring to the deletion file selecting criteria information which is shown also in Fig. 2, the file management means 60 tries to recognize a file which bears the number of viewing of 1 or larger and the earliest recording start time as a delete candidate, other than the file FID5 which is designated as a delete candidate.

However, the number of viewing of the files FID9 and FID1000 saved in the recording area AID1 other than the file FID5 which is designated as a delete candidate is both zero.

The file management means 60 causes the display/manipulation means 70 to display, in the displaying portion, that it is not possible to recognize a second delete candidate.

As a user designates the file FID9 as a second delete candidate based on the displayed information, the manipulation portion of the display/manipulation means 70 provides the file management means 60 with an instruction designating the file FID9 as a second delete candidate, in the form of a signal.

The file management means 60 receives the instruction received through the display/manipulation means 70 which designates the file FID9 as a second delete candidate.

The file management means 60 determines to delete the files FID5 and FID9 and ensure a free area of 50 GB in total so that the data fed as the signal from the digital AV equipment 80 will be written in the recording area AID1 as the file FID1002. The file management means 60 then demands the system controller 20 to execute this.

Receiving the instruction outputted as a signal from the file management means 60, the system controller 20

deletes the files FID5 and FID9 and writes the data inputted through the digital AV equipment 80 in the recording area AID1 as the file FID1002. The system controller 20 notifies the file management means 60 of this.

Upon receipt of the notification from the system controller 20, the file management means 60 updates the free area management information shown in Fig. 9 into such free area management information as that shown in Fig. 11. Fig. 11 shows a chart of the free area management information which is updated in the first preferred embodiment. In addition, the file management means 60 updates the recording file management information shown in Fig. 10 into such recording file management information shown as that shown in Fig. 12. Fig. 12 shows a chart of the recording file management information shown which is updated in the first preferred embodiment.

In this manner, it is possible to execute management, such as saving and deletion of files, appropriately by data type.

(Second Preferred Embodiment)

First, a structure of a data recording/reproducing apparatus according to a second preferred embodiment will be described with reference to Fig. 13. Fig. 13 is a structure diagram of the data recording/reproducing apparatus according to the second preferred embodiment.

File management means 160 is means of referring to free area management information, recording file management information, deletion file selecting criteria information and the like to thereby manage saving, deletion, etc., of files.

Deletion file selecting criteria information setting means 161 is means which is for a user to set up deletion file selecting criteria information which is for selecting a delete candidate in each recording area which is set up by the recording area setting means 50.

Data classification information setting means 162 is means which is for a user to set up a classification of data which are to be written for each recording area which is set up by the recording area setting means 50.

Display/manipulation means 170 is means which comprises a displaying portion, which displays to outside that it is impossible to write new data when the file management means 60 can not write the new data, and a manipulation portion which accepts manipulations from outside in response to such a display.

Operations of the data recording/reproducing apparatus according to the second preferred embodiment having such a structure will be described with reference to Figs. 13 through 17. Fig. 14 shows charts of data classification information and deletion file selecting

criteria information according to the second preferred embodiment.

In response to an instruction from a user, the recording area setting means 150 provides the recording/reproducing means 30 with an instruction for setting up two logical recording areas AID1, AID2 on the disk 31. The recording/reproducing means 30, receiving the instruction from the recording area setting means 150, sets up the two logical recording areas AID1, AID2 on the disk 31. The recording capacities of the recording areas AID1 and AID2 are 20 GB and 80 GB, respectively. The recording/reproducing means 30 notifies the file management means 160 that the two logical recording areas AID1, AID2 are set up on the disk 31.

In response to an instruction from a user, the data classification information setting means 162 provides the file management means 160 with the data classification information which is for setting up a classification of data which are to be written for each one of the recording areas AID1 and AID2. The data classification information in the second preferred embodiment contains detailed setup for further classifying and grouping files (hereinafter sometimes referred to as the "detailed data classification") in the recording areas AID1 and AID2.

That is, the data classification information setting

means 162 notifies the file management means 160 of such setup which causes writing of only audio data in the recording area AID1 and grouping of files to be saved in the recording area AID1 having the same recording date. The data classification information setting means 162 also notifies the file management means 160 of such setup which causes writing of only video data in the recording area AID2 and grouping of files to be saved in the recording area AID2 having the same number of viewing.

In response to an instruction from a user, the deletion file selecting criteria information setting means 161 provides the file management means 160 with the deletion file selecting criteria information which is for selecting a file which is to be deleted as new data are written for each one of the recording areas AID1 and AID2. The deletion file selecting criteria information in the second preferred embodiment contains detailed setup for deleting a plurality of files all at once in each one of the recording areas AID1 and AID2.

In short, the deletion file selecting criteria information setting means 161 notifies the file management means 160 of such setup which causes en-masse deletion, in the recording area AID1, of files which belongs to the same group as a file whose recording time is earliest. Further, the deletion file selecting criteria information

setting means 61 notifies the file management means 160 of such setup which causes en-masse deletion, in the recording area AID2, of files which belongs to the same group as a file which bears the largest number of viewing.

The data recording/reproducing apparatus according to the second preferred embodiment writes data in accordance with setup designated by the data classification information, when a free capacity in a predetermined recording area is larger than the size of data which are to be newly written. An operation for writing is similar to the writing operation already described in the section "(First Preferred Embodiment)" in detail above.

The data recording/reproducing apparatus according to the second preferred embodiment in this manner keeps writing data on the disk 31 which is loaded in the recording/reproducing means 30, so that files FID1, FID2, ..., FID999 are saved in the recording area AID1. Meanwhile, the files FID6, FID7, ..., FID998 are saved in the recording area AID2.

The file management means 160 holds the free area management information and the recording file management information. The free area management information contains a recording capacity, a recorded capacity and a free capacity, while the recording file management information contains recording area information, the

recording start time, a file size, the number of viewing and a detailed data classification, both of which are as shown in Fig. 15. Fig. 15 shows charts of the free area management information and the recording file management information updated in the second preferred embodiment. For instance, in the recording area AID1, the files FID1, FID2 and FID3 having the same recording date (which is 2000/01/02) belong to a group GID1.

Next, a description will be given on operations of the data recording/reproducing apparatus according to the second preferred embodiment as new data are supplied from the digital AV equipment 80 further as a signal. The new data referred to here are audio data which are to be saved in the recording area AID1 as a file FID1000 whose size is 13 MB.

The digital AV equipment 80 outputs to the data recording/reproducing apparatus this data which are to be recorded and the volume of this data to be recorded, as a signal. The system controller 20 analyzes the signal supplied from the digital AV equipment 80, and notifies the file management means 160 that this data are audio data which are to be saved as a 13 MB file.

Referring to the data classification information as shown in Fig. 14, the file management means 160 determines that it is necessary to record the audio data signal received

from the digital AV equipment 80 in the recording area AID1 which is set as a audio data recording area.

Further, referring to the free area management information as that shown in Fig. 15, the file management means 160 recognizes that a free capacity in the recording area AID1 is 0 GB which is smaller than the size of the file (13 MB) which is to be newly saved.

As shown in Fig. 15, files in the recording area AID1 having the same recording date as the file FID1 whose recording time is earliest are grouped as the group GID1 in accordance with the setup designated by the data classification information which is shown in Fig. 14.

Referring to the deletion file selecting criteria information shown in Fig. 14, the file management means 160 recognizes that the files FID1, FID2 and FID3 belonging to the group GID1 are delete candidates.

The file management means 160 determines to delete the files FID1, FID2 and FID3 and ensure a free area of 13 MB in total so that the data received as the signal through the digital AV equipment 80 will be written in the recording area AID1 as the file FID1000. The file management means 160 demands the system controller 20 to execute this.

Receiving the instruction outputted as a signal from the file management means 160, the system controller 20 deletes the files FID1, FID2 and FID3 and writes the data

supplied from the digital AV equipment 80 in the recording area AID1 as the file FID1000. The system controller 20 notifies the file management means 160 of this.

Upon receipt of the notification from the system controller 20, the file management means 160 updates the free area management information and the recording file management information shown in Fig. 15 into such free area management information and such recording file management information as those shown in Fig. 16. Fig. 16 shows charts of the free area management information and the recording file management information updated in the second preferred embodiment.

Next, a description will be given on operations of the data recording/reproducing apparatus according to the second preferred embodiment as the digital AV equipment 80 receives new data as a signal. The new data referred to here are video data to be saved in the recording area AID1 as a file FID1001 whose size is 5 GB.

The system controller 20 analyzes the signal supplied from the digital AV equipment 80, and notifies the file management means 160 that this new data are video data which are to be saved as a 5 GB file.

Referring to the data classification information as shown in Fig. 14, the file management means 160 determines that it is necessary to record the signal supplied from

the digital AV equipment 80 in the recording area AID2.

Further, referring to the free area management information as that shown in Fig. 16, the file management means 160 recognizes that a free capacity in the recording area AID2 is 2 GB which is smaller than the size of the file (5 GB) which is to be newly saved.

As shown in Fig. 16, files in the recording area AID2 having the largest number of viewing are grouped as a group GID3 in accordance with the setup designated by the data classification information which is shown in Fig. 14. Since the files having the same number of viewing are grouped in this manner, a dialogue with a user as described in the section "(First Preferred Embodiment)" is not necessary in the following operations.

Referring to the deletion file selecting criteria information shown in Fig. 14, the file management means 160 recognizes that the files FID6 and FID7 belonging to the group GID3 are delete candidates.

The file management means 160 determines to delete the files FID6 and FID7 and ensure a free area of 6 MB in total so that the data received as the signal through the digital AV equipment 80 will be written in the recording area AID2 as the file FID1001. The file management means 160 demands the system controller 20 to execute this.

Receiving the instruction outputted as a signal from

the file management means 160, the system controller 20 deletes the files FID6 and FID7 and writes the data supplied through the digital AV equipment 80 in the recording area AID2 as the file FID1001. The system controller 20 notifies the file management means 160 of this. Upon receipt of the notification from the system controller 20, the file management means 160 updates the free area management information and the recording file management information shown in Fig. 16 into such free area management information and such recording file management information as those shown in Fig. 17. Fig. 17 shows charts of the free area management information and the recording file management information updated in the second preferred embodiment.

As the plurality of unnecessary files are deleted appropriately at once in this manner, it is possible to ensure a large free area without fail.

The disk 31 in the present invention needs not be set up with logical recording areas in a manner as described above in relation to the preferred embodiments, but may be set up with any desired number of logical recording areas each having any desired recording capacity.

Further, the input terminal for receiving an analog AV signal (not shown) of the encoder circuit 40 according to the present invention may be connected with a signal input apparatus which can receive an analog AV signal.

Still further as shown in Fig. 18, the interface circuit 10 may be connected with a PC (Personal Computer) 180 which is connected with an STB (Set Top Box, satellite broadcasting receiver) 181 via an IEEE1394 bus. Fig. 18 is a diagram of a data recording/reproducing apparatus and peripheral equipment described in relation to the preferred embodiments of the present invention.

In addition, the data classification information in the present invention needs not be set up utilizing the dedicated data classification information setting means as in the preferred embodiments above. Information which is set by means of manipulations on a key board of the PC 180 (as that shown in Fig. 18) may be received as a command parameter from the PC 180 and set as the data classification information.

Moreover, the deletion file selecting criteria information in the present invention needs not be set up utilizing the dedicated deletion file selecting criteria information setting means as in the preferred embodiments above. Information which is set by means of manipulations on a key board of the PC 180 (as that shown in Fig. 18) may be received as a command parameter from the PC 180 and set as the deletion file selecting criteria information.

Although the volume of data to be recorded is inputted together with the data to be recorded in the data

recording/reproducing apparatus according to the present invention, the volume of the data to be recorded may not be inputted. In a case that the volume of the data to be recorded is not entered, the data recording/reproducing apparatus according to the present invention records data coming from the digital AV equipment 80 progressively as files on the disk 31. The file management means 60 checks a free capacity in a demanded recording area, and when the free capacity becomes smaller than a predetermined value, the file management means 60 selects and deletes a file so as to ensure a free capacity which is equal to or larger than the predetermined value.

Further, the data classification in the data classification information in the present invention need not be video data, audio data and still image data as in the preferred embodiments above, but may be any concepts which are dependent upon the contents of data, for instance, as far as the concepts realize a classification of data.

Further, the detailed data classification in the data classification information in the present invention need not be the recording date and the number of viewing as in the preferred embodiments above, but may be any concepts which are dependent upon the contents of data, for instance, as far as the concepts realize a classification of data.

Further, the deletion file selecting criteria in the

deletion file selecting criteria information in the present invention need not be the number of viewing, the recording time and prohibition or a combination of these with the detailed data classification as in the preferred embodiments above, but may be any concepts which are dependent upon the contents of data or a combination of this with the detailed data classification, for instance, as far as the concepts provide the deletion file selecting criteria.

Further, the detailed data classification information and the deletion file selecting criteria information in the present invention need not remain unchanged after set up as in the preferred embodiments above, but may be changed freely any time.

The present invention also covers a medium which is characterized in that it can be processed with a computer and carries a program and/or data for executing with a computer all or some functions of all or some means of the data recording/reproducing apparatus according to the present invention.

The present invention further covers an aggregation of information which is characterized in being a program and/or data for executing with a computer all or some functions of all or some means of the data recording/reproducing apparatus according to the present

invention.

The present invention is directed to a medium which carries a program and/or data for executing with a computer all or some functions of all or some means of the data recording/reproducing apparatus according to the present invention described above, and the medium can be read with a computer and causes the program and/or data which is read to execute the functions while working together with the computer.

The present invention is directed also to an aggregation of information which is program and/or data for executing with a computer all or some functions of all or some means of the data recording/reproducing apparatus according to the present invention described above, and the aggregation of information can be read with a computer and causes the program and/or data which is read to execute the functions while working together with the computer.

Data as referred to in the present invention include a data structure, a data format, a data type, etc.

A medium as referred to in the present invention can be a recording medium such as a ROM, a transmission medium such as the Internet, and a transmission medium such as light, an electric wave and a sonic wave.

A medium which carries as referred to in the present invention can be a recording medium in which a program and/or

data is recorded, a transmission medium which transmits a program and/or data, and the like.

To be able to be processed with a computer as referred to in the present invention includes, in the case of a recording medium such as a ROM, for instance, that it is possible to read with a computer, and in the case of a transmission medium, that a program and/or data which is to be transmitted can be handled with a computer.

An aggregation of information as referred to in the present invention includes software, for instance, such as a program and/or data.

Further, as described above, the structures according to the present invention may be realized by means of software or hardware.

Industrial Use

As clear from the foregoing, the first invention corresponding to Claim 1 provides a data recording/reproducing apparatus which is characterized in executing appropriate management, such as saving and deletion of files, in accordance with a data type.

The second invention corresponding to Claim 2 provides a data recording/reproducing apparatus which is characterized in more appropriately saving and deleting a file, in addition to the effect above.

The third invention corresponding to Claim 3 provides a data recording/reproducing apparatus which is characterized in more appropriately selecting and deleting an unnecessary file, in addition to the effects above.

The fourth invention corresponding to Claim 4 provides a data recording/reproducing apparatus which is characterized in ensuring a free area without fail, in addition to the effects above.

The fifth invention corresponding to Claim 5 provides a data recording/reproducing apparatus which is characterized in classifying files in details, in addition to the effects above.

The sixth invention corresponding to Claim 6 provides a medium which is characterized in executing appropriate management, such as saving and deletion of files, in accordance with a data type, and management of data which are to be transmitted.

The seventh invention corresponding to Claim 7 provides an aggregation of information which is characterized in obtaining the effects above by means of execution with a computer.

4479

Claims:

1. A data recording/reproducing apparatus,
comprising:

recording area setting means of setting a plurality
of logical recording areas in a recording medium which is
for recording and reproducing data; and

file management means which refers to free area
management information, which is for managing a free area
capacity for each one of said recording areas, recording
file management information, which is for managing a file
to be recorded for each one of said recording areas, and
deletion file selecting criteria information, which is for
selecting a file to be deleted for each one of said recording
areas, and executes management of said files,

being characterized in that for writing of new data
in a predetermined recording area, when said file management
means judges that a free area for writing said new data
is insufficient with reference to said free area management
information, said file management means, referring to said
deletion file selecting criteria information, deletes a
portion or all of at least one file which is recorded in
said predetermined recording area or does not execute an
operation for writing said new data.

2. A data recording/reproducing apparatus in accordance with Claim 1, characterized in that when not executing writing of said new data, said file management means notifies to outside that writing of said new data is not executed, and accepts an instruction in response to the notification from outside.

3. A data recording/reproducing apparatus in accordance with Claim 1, characterized in comprising deletion file selecting criteria information setting means which is for a user to set up said deletion file selecting criteria information for each one of said recording areas.

4. A data recording/reproducing apparatus in accordance with Claim 1, characterized in that said files are grouped in accordance with a predetermined criteria, said file management means, when deleting a portion or all of at least one file which is recorded in said predetermined recording area, deletes the file which is to be deleted as well as other files which belong to the same group as the file which is to be deleted.

5. A data recording/reproducing apparatus in accordance with any one of Claim 1 through Claim 4, characterized in that a classification of said data which

are to be written is different for each one of said recording areas, and said data recording/reproducing apparatus comprises data classification information setting means which is for a user to set up, for each one of said recording areas, data classification information which is for setting up a classification of data which are to be written.

6. (Amended) A medium which is characterized in that it can be handled with a computer and characterized in carrying a program which is for executing, with a computer, functions of a data recording/reproducing apparatus in accordance with any one of Claim 1 through Claim 5.

7. (Amended) A program which is characterized in that it is a program for executing, with a computer, functions of a data recording/reproducing apparatus in accordance with any one of Claim 1 through Claim 5.

ABSTRACT

Management in a disk according to conventional techniques is effective in only one recording area which is the entire disk, and therefore, it has been heretofore impossible to manage files by data type.

A data recording/reproducing apparatus comprises recording area setting means 50 of setting a plurality of logical recording areas in a recording medium, and file management means 60 which manages files with reference to free area management information, recording file management information and deletion file selecting criteria information, and data recording/reproducing apparatus is characterized in that when judging that a free area for writing the new data is insufficient, the file management means 60, referring to the deletion file selecting criteria information, deletes a portion or all of at least one file or does not execute an operation for writing the new data.

Fig. 1




Fig. 2

DATA CLASSIFICATION INFORMATION

RECORDING AREA	DATA CLASSIFICATION
AID1	VIDEO DATA
AID2	AUDIO DATA
AID3	STILL IMAGE DATA

DELETION FILE SELECTING CRITERIA INFORMATION

RECORDING AREA	DELETION FILE SELECTING CRITERIA
AID1	NUMBER OF VIEWING AND RECORDING TIME
AID2	RECORDING TIME
AID3	PROHIBITION

Fig. 3

FREE AREA MANAGEMENT INFORMATION

RECORDING AREA	RECORDING CAPACITY	RECORDED CAPACITY	FREE CAPACITY
AID1	80GB	0GB	80GB
AID2	10GB	0GB	10GB
AID3	10GB	0GB	10GB

Fig. 4

FREE AREA MANAGEMENT INFORMATION

RECORDING AREA	RECORDING CAPACITY	RECORDED CAPACITY	FREE CAPACITY
AID1	80GB	0GB	80GB
AID2	10GB	0GB	10GB
AID3	10GB	1MB	10GB

RECORDING FILE MANAGEMENT INFORMATION

RECORDING AREA = AID3 (STILL IMAGE DATA)			
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE
FID1	L1	2000/01/02 17:00	1MB
			NUMBER OF VIEWING
			0

Fig. 5

FREE AREA MANAGEMENT INFORMATION (CHART)

RECORDING AREA	RECORDING CAPACITY	RECORDED CAPACITY	FREE CAPACITY
AID1	80GB	60GB	20GB
AID2	10GB	10GB	0GB
AID3	10GB	5GB	5GB

FREE AREA MANAGEMENT INFORMATION (DIAGRAM)




Fig. 6

RECORDING FILE MANAGEMENT INFORMATION

RECORDING AREA = AID1 (VIDEO DATA)				
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING
FID5	L5	2000/10/02 17:00	10GB	0
FID8	L8	2001/05/03 13:00	20GB	1
FID9	L9	2002/06/03 21:00	30GB	0

DELETE
CANDIDATE

RECORDING AREA = AID2 (AUDIO DATA)

FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING
FID4	L4	2000/10/02 12:00	5MB	1
FID6	L6	2000/10/03 12:00	4MB	1
FID7	L7	2000/10/06 12:00	6MB	0
----	----	----	----	----
FID999	L999	2003/11/06 12:00	6MB	0

RECORDING AREA = AID3 (STILL IMAGE DATA)

FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING
FID1	L1	2000/01/02 17:00	1MB	3
FID2	L2	2000/05/03 13:00	0.5MB	2
FID3	L3	2000/06/03 21:00	1MB	0
----	----	----	----	----
FID998	L998	2003/10/06 12:00	6MB	0

Fig. 7

7/21

09/869420

FREE AREA MANAGEMENT INFORMATION

RECORDING AREA	RECORDING CAPACITY	RECORDED CAPACITY	FREE CAPACITY
AID1	80GB	70GB	10GB
AID2	10GB	10GB	0GB
AID3	10GB	5GB	5GB

8/21

DELETE
 ← CANDIDATE
 ← SECOND DELETE
 CANDIDATE

Fig. 8

RECORDING FILE MANAGEMENT INFORMATION

RECORDING AREA = AID1 (VIDEO DATA)				
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING
FID5	L5	2000/10/02 17:00	10GB	0
FID9	L9	2002/06/03 21:00	30GB	0
FID1000	L1000	2003/11/07 12:00	30GB	0

RECORDING AREA = AID2 (AUDIO DATA)				
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING
FID4	L4	2000/10/02 12:00	5MB	1
FID6	L6	2000/10/03 12:00	4MB	1
FID7	L7	2000/10/06 12:00	6MB	0
----	----	----	----	----
FID999	L999	2003/11/06 12:00	6MB	0

RECORDING AREA = AID3 (STILL IMAGE DATA)				
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING
FID1	L1	2000/01/02 17:00	1MB	3
FID2	L2	2000/05/03 13:00	0.5MB	2
FID3	L3	2000/06/03 21:00	1MB	0
----	----	----	----	----
FID998	L998	2003/10/06 12:00	6MB	0

Fig. 9

FREE AREA MANAGEMENT INFORMATION

RECORDING AREA	RECORDING CAPACITY	RECORDED CAPACITY	FREE CAPACITY
AID1	80GB	70GB	10GB
AID2	10GB	10GB	0GB
AID3	10GB	5GB	5GB

9/21

09/869420

Fig. 10

RECORDING FILE MANAGEMENT INFORMATION

RECORDING AREA = AID1 (VIDEO DATA)				
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING
FID5	L5	2000/10/02 17:00	10GB	0
FID9	L9	2002/06/03 21:00	30GB	0
FID1000	L1000	2003/11/07 12:00	30GB	0

RECORDING AREA = AID2 (AUDIO DATA)				
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING
FID7	L7	2000/10/06 12:00	6MB	0
----	----	----	----	----
FID999	L999	2003/11/06 12:00	6MB	0
FID1001	L1001	2003/11/07 13:00	9MB	0

RECORDING AREA = AID3 (STILL IMAGE DATA)				
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING
FID1	L1	2000/01/02 17:00	1MB	3
FID2	L2	2000/05/03 13:00	0.5MB	2
FID3	L3	2000/06/03 21:00	1MB	0
----	----	----	----	----
FID998	L998	2003/10/06 12:00	6MB	0

10/21

09/869420

Fig. 11

11/21

FREE AREA MANAGEMENT INFORMATION

RECORDING AREA	RECORDING CAPACITY	RECORDED CAPACITY	FREE CAPACITY
AID1	80GB	60GB	20GB
AID2	10GB	10GB	0GB
AID3	10GB	5GB	5GB

09/869420

Fig. 12

RECORDING FILE MANAGEMENT INFORMATION

RECORDING AREA = AID1 (VIDEO DATA)				
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING
FID1000	L1000	2003/11/07 12:00	30GB	0
FID1002	L1002	2003/11/07 14:00	30GB	0

RECORDING AREA = AID2 (AUDIO DATA)				
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING
FID7	L7	2000/10/06 12:00	6MB	0
----	----	----	----	----
FID999	L999	2003/11/06 12:00	6MB	0
FID1001	L1001	2003/11/07 13:00	9MB	0

RECORDING AREA = AID3 (STILL IMAGE DATA)				
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING
FID1	L1	2000/01/02 17:00	1MB	3
FID2	L2	2000/05/03 13:00	0.5MB	2
FID3	L3	2000/06/03 21:00	1MB	0
----	----	----	----	----
FID998	L998	2003/10/06 12:00	6MB	0

12/21

09/869420

Fig. 13




Fig. 14

DATA CLASSIFICATION INFORMATION

RECORDING AREA	DATA CLASSIFICATION	DETAILED DATA CLASSIFICATION
AID1	AUDIO DATA	RECORDING DATE
AID2	VIDEO DATA	NUMBER OF VIEWING

DELETION FILE SELECTING CRITERIA INFORMATION

RECORDING AREA	DELETION FILE SELECTING CRITERIA
AID1	RECORDING TIME AND DETAILED DATA CLASSIFICATION
AID2	NUMBER OF VIEWING AND DETAILED DATA CLASSIFICATION

Fig. 15

FREE AREA MANAGEMENT INFORMATION

RECORDING AREA	RECORDING CAPACITY	RECORDED CAPACITY	FREE CAPACITY
AID1	20GB	20GB	0GB
AID2	80GB	78GB	2GB

RECORDING FILE MANAGEMENT INFORMATION

RECORDING AREA = AID 1 (AUDIO DATA)

FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING	GROUP
FID1	L1	2000/01/02 12:00	4MB	0	GID1
FID2	L2	2000/01/02 12:04	5MB	0	GID1
FID3	L3	2000/01/02 12:09	4MB	1	GID1
FID4	L4	2000/03/20 07:00	2MB	0	GID2
FID5	L5	2000/03/20 07:02	3MB	3	GID2
----	----	----	----	----	----
FID999	L999	2003/11/06 12:00	6MB	0	GID99

DELETE CANDIDATE

RECORDING AREA = AID1 (VIDEO DATA)

FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING	GROUP
FID6	L6	2000/03/20 07:00	2GB	2	GID3
FID7	L7	2000/03/27 07:00	2GB	2	GID3
----	----	----	----	----	----
FID998	L998	2003/10/06 12:00	6GB	1	GID100

Fig. 16

FREE AREA MANAGEMENT INFORMATION

RECORDING AREA	RECORDING CAPACITY	RECORDED CAPACITY	FREE CAPACITY
AID1	20GB	20GB	0GB
AID2	80GB	78GB	2GB

RECORDING FILE MANAGEMENT INFORMATION

RECORDING AREA = AID 1 (AUDIO DATA)					
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING	GROUP
FID4	L4	2000/03/20 07:00	2MB	0	GID2
FID5	L5	2000/03/20 07:02	3MB	3	GID2
----	----	----	----	----	----
FID999	L999	2003/11/06 12:00	6MB	0	GID99
FID1000	L1000	2003/11/06 13:00	13MB	0	GID99

RECORDING AREA = AID1 (VIDEO DATA)					
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING	GROUP
FID6	L6	2000/03/20 07:00	2GB	2	GID3
FID7	L7	2000/03/27 07:00	2GB	2	GID3
----	----	----	----	----	----
FID998	L998	2003/10/06 12:00	6GB	1	GID100

DELETE CANDIDATE

Fig. 17

FREE AREA MANAGEMENT INFORMATION


RECORDING AREA	RECORDING CAPACITY	RECORDED CAPACITY	FREE CAPACITY
AID1	20GB	20GB	0GB
AID2	80GB	79GB	1GB

RECORDING FILE MANAGEMENT INFORMATION

RECORDING AREA = AID 1 (AUDIO DATA)					
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING	GROUP
FID4	L4	2000/03/20 07:00	2MB	0	GID2
FID5	L5	2000/03/20 07:02	3MB	3	GID2
----	----	----	----	----	----
FID999	L999	2003/11/06 12:00	6MB	0	GID99
FID1000	L1000	2003/11/06 13:00	13MB	0	GID99

RECORDING AREA = AID1 (VIDEO DATA)					
FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING	GROUP
----	----	----	----	----	----
FID998	L998	2003/10/06 12:00	6GB	1	GID100
FID1001	L1001	2003/11/06 14:00	5MB	0	GID4

Fig. 18



19/21

Fig. 19




Fig. 20

FREE AREA MANAGEMENT INFORMATION

RECORDING CAPACITY	RECORDED CAPACITY	FREE CAPACITY
100GB	98GB	2GB

RECORDING FILE MANAGEMENT INFORMATION

FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING
FID1	L1	2000/01/02 12:00	4GB	6
FID2	L2	2000/01/02 12:04	5MB	0
FID3	L3	2000/01/02 12:09	4MB	1
FID4	L4	2000/03/20 07:00	8GB	0
FID5	L5	2000/03/20 07:02	3MB	3
----	----	----	----	----
FID999	L999	2003/11/06 12:00	6GB	0

20/21

← DELETE CANDIDATE

09/869420

Fig. 21

FREE AREA MANAGEMENT INFORMATION

RECORDING CAPACITY	RECORDED CAPACITY	FREE CAPACITY
100GB	99GB	1GB

RECORDING FILE MANAGEMENT INFORMATION

FILE	RECORDING AREA INFORMATION	RECORDING START TIME	FILE SIZE	NUMBER OF VIEWING
FID2	L2	2000/01/02 12:04	5MB	0
FID3	L3	2000/01/02 12:09	4MB	1
FID4	L4	2000/03/20 07:00	8GB	0
FID5	L5	2000/03/20 07:02	3MB	3
----	----	----	----	----
FID999	L999	2003/11/06 12:00	6GB	0
FID1000	L1000	2000/11/06 12:30	5GB	0

Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled Data Recording/Reproducing Apparatus and Program Recording Medium

the specification of which is attached hereto unless the following box is checked:

☒ was filed on 25 October 2000 as

United States Application Number or PCT International Application Number PCT/JP00/07448
and was amended on February 14, 2001 under PCT Article 19. (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Hei11-305,974 JAPAN

October 27, 1999

Priority Not Claimed

(Number)

(Country)

(Day/Month/Year Filed)

☐

(Number)

(Country)

(Day/Month/Year Filed)

☐

I hereby claim the benefit under 35 U.S.C. § 119(e) of any United States provisional application(s) listed below.

(Application Number)

(Filing Date)

(Application Number)

(Filing Date)

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s), or 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Number)

(Filing Date)

(Status - patented, pending, abandoned)

(Application Number)

(Filing Date)

(Status - patented, pending, abandoned)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Paul F. Prestia	Reg. No. <u>23,031</u>	Lawrence E. Ashery	Reg. No. <u>34,515</u>	Jack J. Jankovitz	Reg. No. <u>42,690</u>
Allan Ratner	Reg. No. <u>19,717</u>	Christopher R. Lewis	Reg. No. <u>36,201</u>	Jonathan H. Spadt	Reg. No. <u>45,122</u>
Andrew L. Ney	Reg. No. <u>20,300</u>	Robert L. Andersen	Reg. No. <u>25,771</u>	Christopher I. Halliday	Reg. No. <u>42,821</u>
Kenneth N. Nigon	Reg. No. <u>31,549</u>	Joshua L. Cohen	Reg. No. <u>38,040</u>	Scott A. Mckeown	Reg. No. <u>42,866</u>
Kevin R. Casey	Reg. No. <u>32,117</u>	Daniel N. Calder	Reg. No. <u>27,424</u>		
Benjamin E. Leace	Reg. No. <u>33,412</u>	Louis W. Beardell, Jr.	Reg. No. <u>40,506</u>		
James C. Simmons	Reg. No. <u>24,842</u>	Jacques L. Etkowicz	Reg. No. <u>41,738</u>		

Address all correspondence to: Allan Ratner

Ratner & Prestia, Suite 301, One Westlakes, Berwyn, P.O. Box 980, Valley Forge, PA 19482-0980

Address all telephone calls to: Allan Ratner at (610) 407-0700.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor (given name, family name) AYAKI Yasushi

Inventor's signature Yasushi Ayaki

Date June 11, 2001

Residence Neyagawa-shi, Osaka 572-0037 JAPAN

Citizenship JAPAN

Post Office Address 13-1-206, Kuzuharashinmachi, Neyagawa-shi, Osaka 572-0037 JAPAN

Full name of second joint inventor, if any (given name, family name) _____

Second Inventor's signature _____

Date _____

Residence _____

Citizenship _____

Post Office Address _____



Additional inventors are being named on separately numbered sheets attached hereto.